







THE CHOICE IS SIMPLE!

Say no to an endless plug offering – The Gripper™ is all you need!



LO-VIS



GRIPPER™ FUNCTIONS IN BOARD, HOLLOW AND SOLID WALLS, IN ANY TYPE OF CONSTRUCTION MATERIAL





DRILL A HOLE THE SIZE OF THE PLUG Ø.





INSERT THE FASTENER MANUALLY OR BY TAPPING WITH A HAMMER.







INSERT THE SCREW THROUGH THE FIXTURE EITHER MANUALLY OR MECHANICALLY.




CONCRETE AND OTHER SOLID BASE MATERIALS

The DuPont™ Hytrel® material conforms to and friction locks onto the drill hole's surface shape.



EXPANDED CLAY AND AERATED CONCRETE BLOCKS, OTHER POROUS BASE MATERIALS

DuPont[™] Hytrel® conforms to the drill hole's surface shape and the GripEdge friction surface locks on mechanically.



BUILDING BOARDS AND HOLLOW WALL STRUCTURES

The GripEdge friction surface and screw lock mechanically.



1

DUE TO THE LO-VIS -MICRORIM, GRIPPERTM IS SUITABLE FOR ALL TYPES OF WALLS! JUST CHOOSE THE RIGHT PLUG SIZE!

A. OBJECT WEIGHT












| B. RECOMMENDED FOLE-OUT EDADS, RIEDORAMS (Rg) | | | | | | |
|--|-------------------------|-------------------------|----------------------|----------------------------|--|--|
| | GRIPPER™ 5 | GRIPPER™ 6 | GRIPPER™ 8 | GRIPPER™ | | |
| Screw | Universal screw 4x35 | Universal screw 5x40 | Universal screw 6x50 | Hex washer 7x70 ruspert | | |
| Gypsum board 13 mm / Extra hard 13 mm | 10 / 18 | 13 / 24 | 13 / 24 | 15 / 24 | | |
| Concrete C25 | 40 | 100 | 100 | 180 | | |
| Solid clay brick | 20 | 60 | 80 | 100 | | |
| Sand-lime brick | 30 | 95 | 95 | 130 | | |
| Expanded clay / Aerated concrete block 450 kg/m³ | 10 / 5 | 20 / 10 | 30 / 15 | 50 / 35 | | |

SUITABLE ALSO FOR BOARD-, TILE-, STONE, FILLER- AND PLASTERCOATED WALLS**

- * Sormat's recommendations are not based on maximum pull-out values, but instead on instructions based on tests and practical experience. The recommendations take into account a safety factor as well as possible variations in quality in construction materials and installation.
- ** For extremely hard surfaces such as tiles, drill a slightly larger diameter hole.

GRIPPER™ CAN BE USED TOGETHER WITH THE MOST COMMON TYPES OF SCREWS AND SCREW DIAMETERS! FIND THE RIGHT SCREW SIZE FOR THE PLUG!



| | Plug length L ₁ | Ø d _o | Min. Hole depth, solid walls h ₁ | Min. Sheet thickness t _{sheet} | Suitable screw Ø | Suitable screw length (min.) |
|-------------|----------------------------------|---------------------|--|---|------------------------|------------------------------------|
| GRIPPER™ 5 | 24 mm | 5 mm | 28 mm | 6 mm | Ø 3 – 4,5 mm | 24 mm + t _{fix} |
| GRIPPER™ 6 | 32 mm | 6 mm | 38 mm | 8 mm | Ø 4 – 5,5 mm | 32 mm + t _{fix} |
| GRIPPER™ 8 | 38 mm | 8 mm | 44 mm | 12 mm | Ø 4,5 – 6 mm | 38 mm + t _{fix} |
| GRIPPER™ 10 | 45 mm | 10 mm | 50 mm | 12 mm | Ø 4,5 – 7 mm | 45 mm + t _{fix} |

NOTE! DRY INDOORS ENVIRONMENT = ZINC PLATED SCREW WET INDOORS AND OUDOOR ENVIRONMENTS = STAINLESS STEEL A2, A4 OR RUSPERT -COATED SCREWS

3 GET YOUR GRIPPERS IN A DIY-BAG, DIY-BAG W/ SCREWS OR IN A SALES BOX!

| CODE | PCS | EAN DIY | EAN DIY+SCREW | EAN BOX | |
|------------------|-----|-------------------|---------------------|-------------------|--|
| GRIPPER 5 | | | | | |
| 95660 DIY BAG | 10 | | | | |
| 95670 DIY+SCREWS | 5 | 6 416031 956607 > | 6 416031 956706 > | 6 416031 752308 > | |
| 75230 BOX | 100 | | | | |
| GRIPPER 6 | | | | | |
| 95662 DIY BAG | 8 | 6 416031 956621 > | | 6 416031 752322 > | |
| 95672 DIY+SCREWS | 5 | 6 416031 956621 > | 6 416031 956720 > | | |
| 75232 BOX | 100 | | | | |
| GRIPPER 8 | | | | | |
| 95664 DIY BAG | 5 | | | 6 416031 752346 > | |
| 95674 DIY+SCREWS | 5 | 6 416031 956645 > | 6 416031 956744 > | | |
| 75234 BOX | 50 | | | | |
| GRIPPER 10 | | | | | |
| 95666 DIY BAG | 5 | | | | |
| 95676 DIY+SCREWS | 5 | 6 416031 956669 > | 6 416031 956768 > | 6 416031 752360 > | |
| 75236 BOX | 50 | 3555. 666666 7 | 3 11333 1 0007 00 7 | | |

NOTE! DIY+SCREWS:

GRIPPER 5 UNIVERSAL SCREW 4x35 TX15 PANHEAD FULL THREAD € GRIPPER 6 UNIVERSAL SCREW 5x40 TX25 PANHEAD FULL THREAD €

GRIPPER 8 UNIVERSAL SCREW 6X50 TX30 PANHEAD FULL THREAD ® GRIPPER 10 SCREW 7x70 HEX WITH WASHER, RUSPERT -COATING ©

